

TP410 ATEX WEIGHING PALLET TRUCK

GIROPES
WEIGHING SOLUTIONS
CE M Ex INOX

**WITH EXTERNAL
BATTERY**



M 68
IP

UP TO
400
Items
IN TARE
MEMORY


PIECE COUNTING
function


CHECKWEIGHER
function

LCD
LCD
screen

EN

TP410 ATEX

PALLET TRUCKS
WITH INDICATOR
GI410iLCD ex

WITH LOAD CELLS
& JUNCTION BOX IN
ATEX PROTECTION

ACCUMULATION
ZERO
TARE
GROSS/NET
PIECE COUNTING FUNCTION
CHECKWEIGHER WITH LCD SIGNAL

UP TO
400
items
IN MEMORY
TARE

Weight tare indicator with a memory to up to 400 item 1, 400 item 2 and 10 prefixed tares.

The introduction of the details of the product can include code, description, tare, EAN code and the characterization of the product is according to its operating platform (weight, target weight or unit weight for the piece-counting function).

The introduction of the details of the customers can be done by code, description or pretare. This series also includes the possibility to do lists of stored weights according to detail or filtered according to customer, product or date.



PIECE COUNTING

This function allows the user to count the pieces which have been loaded on the platform according to the unit average weight PMU which has been scheduled previously.

It also allows the counting of the PMU according to the amount of pieces which have been loaded.



TOTALISATION

This function allows the user to do the addition of the weights accumulated in the memory and shows the total number of weights.



CHECKWEIGHER

The weight indicator GI410i includes the mode checkweigher or pass-not pass.

It can manage automatically up to 7 zones using weight limits for each one of them. By selecting the desired weight, the indicator allows the user to choose superior or inferior limits through value or percentage.

48^h

DURATION

**EXTERNAL
BATTERY**

Easily
removable

68
IP



**STAINLESS STEEL & PAINTED
IP68 FOR ATEX ZONES**

TECHNICAL FEATURES

Capacity 1000/2000kg

Accuracy 0.2/0.5 kg (0.5/1 kg verified version)

Units: kg

External NiMH rechargeable 7,2V 12Ah battery.

Power supply with charger battery NiMH 110 - 240V AC 50/60Hz.



» External battery of 7,2V with 48 hours of duration
(1 unit included, optional extra battery)

SERIE TP410 ATEX

stainless steel & painted versions

Wide range of pallet trucks for different environment and uses



*Review the requirements for forks for weighing certain light metals in ATEX zones.

TP410

Description	Code #
TP410 painted with digital indicator LCD ATEX with external battery	290030
M TP410 painted with digital indicator LCD ATEX with external battery	290031
TP410i stainless steel with digital indicator LCD ATEX with external battery	290032
M TP410i stainless steel with digital indicator LCD ATEX with external battery	290033

*with battery included

OPTIONALS

Description	Code #
Additional external battery ATEX Zone 2/22	220041
Additional plate ALIBI/DSD memory	220008
Kit Wheels with coating polyurethane outer	220044
Stainless steel fork kit for TP pallet trucks	291001

