


# GIROPES

INDUSTRIAL WEIGHING  
SOLUTIONS



## SERIE GI410iLCD PRINT



  
**LISTS &  
tickets**

**DESIGN**

AND OWN MANUFACTURING



MAXIM QUALITY  
AND FIABILITY

**EN**

# FUNCTIONS

## GI410i PRINT

M 54  
IP

### FEATURES

- Stainless steel housing.
- IP54 protection.
- Backlit LCD screen with 40mm digits.
- Built-in thermal printer (8 points/mm).
- Column width 40/42 (paper width 58mm).
- 203 DPI resolution.
- Printing speed: 50mm/sec maximum.
- Optional wall support.
- Power supplies 230Vac.
- 2 output RS232 are included.
- Unique range, multi-range or multi-interval.
- Up to 6.000 divisions OIML class III and IV.
- EC approval.

### FUNCTIONS

- Weight accumulation: automatic / manual
- Totalization on screen
- Gross / Net
- Manual tare and pretare
- Back to zero
- Piece counting function
- Checkweigher function with a visual value alarm
- Function division 1/10 verification. Display for a few seconds

### BASIC FUNCTIONS



#### REPETAER FUNCTION

Weight repeater display up to 16 m with output RS232.  
Optional Ethernet up to 1200 m (required in both devices).



#### LISTS

GI410i PRINT indicators allow to generate multiple report lists choosing item 1 and/or item 2 and/or date.



#### PIECE COUNTING

This function allows the user to count the pieces which have been loaded on the platform according to the unit average weight PMU which has been scheduled previously.

It also allows the counting of the PMU according to the amount of pieces which have been loaded



#### TOTALIZATION

This function allows the user to do the addition of the weights accumulated in the memory and shows the total number of weights.



#### CHECKWEIGHER

The weight indicator GI410i PRINT includes the mode checkweigher or pass-not pass. It can manage automatically up to 4 zones using weight limits for each one of them. By selecting the desired weight, the indicator allows the user to choose superior or inferior limits through value or percentage.



PRINT

- » Numerical tare weight indicator with memory of up to 400 item 1, 400 item 2 and 10 preset tare.
- » Introduction of details of item 1 by code, description, tare, EAN code and product characterization according to its operative base (weight, objective weight or unit weight for counting function).
- » Enter details of item 2 by code or description.
- » PRINT: Programmer of three headings ticket, using different formats: weight, counting, checkweigher, totalization.
- » LANGUAGES: Spanish, French, Portuguese, Italian, English.

#### TICKETS

- » Weight tickets
- » Piece counting
- » Checkweigher
- » Totalization
- » Accumulation with totalization.

##### # formats with editable headers

GIROPES - NIF: 12345678A  
C/ MOLLÓ, 15-16 17469  
VILAMALLA- (Girona) SPAIN

Number of weighing: #1  
Date: 13/01/2018 Hour 13:06:22  
Lot: 123  
Gross: 0.812 kg  
Tare: 0,000 kg  
Net: 0,812 kg

#### LISTS

- » Total weight
- » Weight filtered lists filtered by item1, item2 and date
- » Filtered listings by item 1
- » Filtered listings by item 2

Report: Client  
14/01/2018  
-----  
Num Client: 001  
Code Client: 000111  
Client: Juan SA  
Total Gross: 17,500 kg  
Total Tare: 0,250 kg  
Total Net: 15,000 kg  
Total Pieces: 5000  
Total Weighing: 10  
-----



#### display TICKETS & LISTS



DISPLAY  
by client screen

### CODES AND PRICE

#### INDICATOR

Description	#Code
Stainless steel digital indicator GI410 PRINT with IP54 protection	210255

#### ACCESSORIES

Description	#Code
Communication board - Ethernet	220005
Wall support	220029

# SERIE GI400 INDICATORS

## WEIGHT-TARE SERIE

GI400



GI400 LCD

GI400 LED

GI400i



GI400i LCD

GI400i LED

## NUMERICAL SERIE

GI410



GI410 LCD

GI410 LED

GI410i



GI410i LCD

GI410i LED

## SERIE BAT LI-ION

GI400 BAT LI-ION



GI400 BAT LI-ION LCD

GI400i BAT LI-ION LCD

## ALPHANUMERICAL SERIE

GI430



GI430 WALL

GI430 DESKTOP

**GIROPES**

Pol. Empordà Internacional, C/Molló 15-16  
17469 VILAMALLA- (Girona) SPAIN  
T(34) 972 527 212 · F(34)972 527 211

[www.giropes.com](http://www.giropes.com)  
[Linkedin:giropes-sl](https://www.linkedin.com/company/giropes-sl)  
[giropes@giropes.com](mailto:giropes@giropes.com)

